PUB-NO:

mark a series

DE019739120A1

DOCUMENT-IDENTIFIER: DE 19739120 A1

TITLE:

Determination of the antioxidant capacity of sample

PUBN-DATE:

March 11, 1999

INVENTOR-INFORMATION:

NAME

COUNTRY

HORN, ANTON PROF DR

DE

MARQUI, CARLOS PASCUAL

DE

REINHART, KONRAD PROF DR MED

DE

POPPITZ, ELKE DIPL CHEM

DE

BETHGE, MATHIAS DIPL ING

DE

BORKOWSKI, ANNETT

DE

ASSIGNEE-INFORMATION:

NAME

COUNTRY

UNIV SCHILLER JENA

DE

APPL-NO:

DE19739120

APPL-DATE:

September 6, 1997

PRIORITY-DATA: DE19739120A (September 6, 1997)

INT-CL (IPC): G01N031/22, G01N021/78, G01N001/28, B01L003/00

EUR-CL (EPC): G01N033/52; B01L003/00, G01N021/25

ABSTRACT:

CHG DATE=19990702 STATUS=O>The antioxidant capacity of samples is determined

by measuring the optical variation of the samples which are heated in the presence of a system which forms temperature dependent free radicals and an indicator which changes its optical properties according to the free radicals formed. The measurement is effected in a new analytical device. The antioxidant capacity of samples is determined by: a) mixing the sample in a plurality of cooled wells arranged in a given x-y frame with a system which forms temperature-dependent free radicals and an indicator which changes its optical properties depending on radicals present; b) bringing the mixture to an initial temperature of 0-20 deg C; c) heating the mixture to a maximum of 90 deg C, preferably over 60 minutes, while continuously recording the change in the optical properties using a conventional reading device; and d) determining the antioxidant capacity by comparing the change with known reference values. An Independent claim is also included for an analytical device comprising a known microtitre plate having flexible wells arranged in an x-y frame and a metallic temperature controllable base having corresponding depressions to receive the wells.